MATERIAL SAFETY DATA SHEET (MSDS)

Warehouse

MSDS: L0095

This MSDS should be attached or kept with the respective product with which it is associated.

TEXTILEASE MEDIQUE

MATERIAL SAFETY DATA SHEET

900 LIVELY BLYD WOOD DALE, IL 40191 (800) 694-4100 1-800-694-7680 (800) 694-4140 FAX

DATE: 2001

SECTION I - PRODUCT IDENTIFICATION

MANUFACTURER'S NAME: ARI

EMERGENCY PHONE: 800-241-5064

ADDRESS:

ORCHARD HILL, GA. 30266

TRADE NAME: ANTISEPTIC.

SYNONYMS: AEROSOL ANTISEPTIC SPRAY

TLV COMPONENT OR MATERIAL CHEMICAL NAME CAS # % OF MIXTURE 94-09-7 BENZOCATNE, USP 4.5% 57-09-0 CETYLTRIMETHYLAMMONIUM 0.05% (BROMAT)

025265-71-8

1000 PPM

- SECTION II - MATERIAL ANALYSIS/ACTIVE INGREDIENTS -

DIPROPYLENE GLYCOL

40.5% A-46 HYDROCARBON 68476-86-8 55.0%

SECTION III - PHYSICAL DATA -

BOILING POINT: 449 DEG. F

SOLUBILITY IN H2O % BY WT.: COMPLETELY MISCIBLE

SPECIFIC CRAVITY #20-1: 1.032

VAPOR PRESSURE IN CAN PSI AT 70 DEG. F: 46

% VOLATILES BY VOL.: 55.0%

pH: N/A

APPEARANCE AND ODOR: COLORLESS LIQUID, SLIGHT MENTHOL ODOR

- SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (CLOSED CUP): >200 DEG. F

FLAMMABLE EXPLOSIVE LIMITS (% VOLUME IN AIR):

LOWER: N/A UPPER: 120 DEG. F

EXTINGUISHING METHODS: DRYCHEMICAL OR CO2

SPECIAL FIRE AND EXPLOSION PROCEDURES: COOL CONTAINERS WITH WATER IF EXPOSED

UNUSUAL FIRE AND EXPLOSION HAZARD: PRODUCT PACKAGED IN AEROSOL FORM WILL EXPLODE UNDER EXTREME HEAT

- SECTION V - HEALTH HAZARD INFORMATION -

HEALTH HAZARD DATA:

ROUTES OF EXPOSURE:

INHALATION: MAY IRRITATE UPPER RESPIRATORY TRACT AND CAUSE NUMBNESS

SKIN CONTACT: MILDLY IRRITATING

EYE CONTACT: SPRAY CAN CAUSE PAIN AND GENERAL INFLAMMATION

INGESTION: MAY CAUSE IRRITATION AND VOMITING

EFFECTS OF OVEREXPOSURE: BASED ON AVAILABLE DATA, REPEATED EXPOSURES ARE NOT ANTICIPATED TO CAUSE ANY SIGNIFICANT ADVERSE EFFECTS.

EMERGENCY AND FIRST AID PROCEDURES: EMBROGRACI MAND FIRST ALD PROJECTORES: EYE: FLUSH WITH LARGE AMOUNTS OF WATER, LIFTING UPPER LIDS. SKIN: WASH AREAS WITH SOAP AND WATER INGESTION: RINSE MOUTH, AND CONSULT A PHYSICIAN INHALATION: REMOVE TO FRESH AIR

NOTES TO PHYSICIAN: N/A

- SECTION VI - REACTIVITY DATA -

CONDITION CONTRIBUTING TO INSTABILITY: STABLE UNDER NORMAL STORAGE CONDITIONS

INCOMPATIBILITY: STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON, ALDEHIDES, AND ACIDS

CONDITIONS CONTRIBUTING TO HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

- SECTION VII - SPILL OR LEAK PROCEDURES -

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

NEUTRALIZING CHEMICAL: FLUSH SPILL AREA WITH WATER

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH STATE, LOCAL AND FEDERAL REGULATIONS.

- SECTION VIII - INDUSTRIAL HYGIENE CONTROL MEASURES

VENTILATION REQUIREMENTS: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT FOR MOST CONDITIONS.

| SPECIFIC PERSONAL PROTECTIVE EQUIPMENT: | RESPIRATORY (SPECIFIC IN DETAIL): NONE REQUIRED | EYE: NONE REQUIRED | GLOVES: NONE REQUIRED

OTHER CLOTHING AND EQUIPMENT: NONE REQUIRED

- SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONARY STATEMENTS: PACKAGED UNDER PRESSURE. DO NOT PUNCTURE, INCINERATE OR STORE ABOVE 120 DEG. F. FLAMMABLE. KEEP AWAY FROM HEAT SOURCE.

OTHER HANDLING AND STORAGE REQUIREMENTS: STORE IN WELL VENTILATED AREAS, AWAY FROM HEAT, DIRECT SUNLIGHT AND SOURCES OF IGNITION. KEEP AWAY FROM OXIDIZING AGENTS. CONTAINERS SHOULD NOT BE DROPPED. INSTALL PROTECTIVE CAPS FOR SHIPMENT.

DEPARTMENT OF TRANSPORTATION INFORMATION PROPER SHIPPING HAZARD CLASS:

PREPARED BY: ARI

DATE: 2001